

Zūm® Wired Keypad with Link Communication, Rocker Button, White



Engraving not shown
(Faceplate not included)

- Provides control of one or more Zūm® wired J-Box Load Controllers
- RS485 communications for increased reliability
- Preprogrammed rocker button
- Configurable with four, six, or eight engraved or pad printed button trees (ZUMLINK-BTN4, ZUMLINK-BTN6, ZUMLINK-BTN8, not included)
- Powered by 24V Zūm Link bus
- Two RJ-45 connections for device daisy-chaining
- Standard 3.5 in. (89 mm) deep electrical box installation
- Button tree and bezel available in almond, black, gray, red, and white finish
- Matching decorator-style faceplate required (FP-G Series, not included)

The Crestron® ZUMLINK-KP is a Zūm® Wired Keypad that provides control of one or more Zūm Link J-Box Load Controllers such as the ZUMLINK-JBOX-16A-LV, ZUMLINK-JBOX-20A-SW, and ZUMLINK-JBOX-20A-PLUG. Bluetooth® functionality allows for configuration of the room via the Zūm app.

Zūm Link Wired Technology

Zūm Link technology allows for in-room lighting control through ZUMLINK-KP keypads and sensors wired to J-box load controllers. The ZUMLINK-KP connects via CAT5e cable (CBL-CAT5E-ZUMLINK-P) to a J-box load controller to provide within room lighting control of compatible loads.

Button Configurations

The ZUMLINK-KP is equipped with a single, white rocker button for switching or dimming control and is configurable with four, six, or eight pad printed or engravable button trees (sold separately). Replacement configurations are available in an almond, black, gray, red or white finish.

Easy Installation

Designed with flexibility and ease-of-use in mind, Zūm wired keypads are preprogrammed so the keypad can be installed in a room along with Zūm load controllers, occupancy or vacancy

sensors, and a daylight sensor, and then used to control the lights in the room without programming. Room setup can be accomplished quickly through the Zūm app. A finished installation requires a decorator-style faceplate (FP-G Series, sold separately).

Specifications

Power Requirements

Powered by 24V ZUMLINK Bus

Communications

Zūm Link	(2) RJ-45 ports; Connects to Zūm Link device for load control; Provides in-room device daisy-chaining
Bluetooth	Bluetooth low energy, Version 4.0; Pairs with a mobile device running the Zūm app

Controls and Indicators

Push button	(1) rocker button preprogrammed; Configurable with combinations of ZUMLINK-BTN4, ZUMLINK-BTN6, ZUMLINK-BTN8 in pad printed or engraved models, sold separately
LED	(1) Green LED; Indicates On/Off status of connected load Lights briefly to indicate a button press

Environmental

Temperature	32° to 104°F (0° to 40°C)
Humidity	10% to 90% RH (noncondensing)

Construction

Composition	Plastic housing and front face
Mounting	Mounts in a 1-gang, 3.5 in. (89 mm) deep electrical box (not supplied)
Faceplate	Requires a decorator style faceplate (FP-G Series, not supplied)

Dimensions

Height	4.13 in. (105 mm)
Width	1.50 in. (38 mm)
Depth	1.28 in. (33 mm)

Weight

5 oz (142 g)

Zūm® Wired Keypad with Link Communication, Rocker Button, White

Compliance

Regulatory Model: M201937001

UL® Listed for US & Canada, IC, FCC Part 15 Class B digital device, UL 916, CSA C22.2 No. 205, CEC Title 24, ASHRAE 90.1, IECC

Model

ZUMLINK-KP-R-W

Zūm® Wired Keypad with Link Communication, Rocker Button, White

Available Accessories

For a list of available accessories, visit the [ZUMLINK-KP](#) product page.

This product may be purchased from select authorized Crestron dealers and distributors. To find a dealer or distributor, please contact the Crestron sales representative for your area. A list of sales representatives is available online at www.crestron.com/How-To-Buy/Find-a-Representative or by calling 855-263-8754.

This product is covered under the Crestron standard limited warranty. Refer to www.crestron.com/warranty for full details.

The specific patents that cover Crestron products are listed online at patents.crestron.com.

Certain Crestron products contain open source software. For specific information, please visit www.crestron.com/opensource.

Crestron, the Crestron logo, and Zūm are either trademarks or registered trademarks of Crestron Electronics, Inc. in the United States and/or other countries. Bluetooth is either a trademark or registered trademark of Bluetooth SIG, Inc. in the United States and/or other countries. UL is either a trademark or registered trademark of UL LLC in the United States and/or other countries. Other trademarks, registered trademarks, and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Crestron disclaims any proprietary interest in the marks and names of others. Crestron is not responsible for errors in typography or photography.

Specifications are subject to change without notice.

©2020 Crestron Electronics, Inc.

Rev 12/08/20

Zūm® Wired Keypad with Link Communication, Rocker Button, White

