

MAXHUB Raptor Series V3 Radar Touch

Model: LID01



Product configuration	
Touch Mode	Laser radar
Sampling Rate	50 kHz
Scanning Frequency	20 Hz
Touch Points	Single point
Edge Accuracy	≤ 1 mm
Suitable Screen Sizes	120 inch, 138 inch, 150 inch, 165 inch
Minimum Recognition Size	6 mm
Touch Range	≤ 10 mm
Touch Height	≤ 20 mm
Response Time	≤ 300 ms

Physical Specification	
Physical Dimension (L × W × H)	190 × 60 × 73 mm
Package Dimension (L × W × H)	275 × 235 × 90 mm
Net Weight	0.8 kg
Gross Weight	1.2 kg

Accessories	
Radar Control Panel	1
Signal Connection Cable	1
Telescopic Touch Pen	1
Leveling Tool	1

Environmental Parameter	
Operating Temperature	-10°C ~ 55°C
Operating Humidity	10% ~ 90% RH
Storage Temperature	-20°C ~ 60°C
Storage Humidity	10% ~ 90% RH
Operating Altitude	Below 5000 meters

Statement

Size and weight vary by configuration and manufacturing process, please refer to the actual product.
The product images are for illustrative purposes only and may slightly differ in appearance, colour, size, etc. from the actual product.
The description, illustrations, etc. in this document may subject to change in accordance with the latest product specification and performance.
Should the above-mentioned change in the document become necessary, the document may be updated without written notice.

MAXHUB

Where Inspiration Moves Ahead.



www.maxhub.com



sales@maxhub.com



<https://www.youtube.com/c/MAXHUB>



<https://www.facebook.com/MAXHUB.Global>



<https://www.linkedin.com/company/maxhub-overseas/>